

It is a glaze formulated based on covering inorganic pigments and other anticorrosive, dispersed in a alkyd vehicle of short length in oil, which confers a fast drying and another medium length in oil which gives an excellent adhesion on direct veneer.

Excellent enamel for the protection of machinery exposed to the outdoors. Direct use, not being necessary the application of any type of primer thanks to its high anticorrosive and antioxidant power.

### Features

Color	White and black
Finish	Glossy smooth
Specific weight	1,28 gr/cc. +/-5
Viscosity	120 +/-5 sg copa Ford nº4 a 20º C
Fixed matter	56 +/-5 % in weight
Drying time to touch	10-15 minutes at 20ºC
Recoat	24 hours minimum
Brightness	>87 % (angle 60º/60ºC))
Flash point	90ºC
COV'S	Max 275 g/l (depending on the color)
Presentation	Cans of 375 ml, 750 ml and 4 lt.



### Application

Recommended thickness by coat	40-45 micra
Theoretical performance	8 - 12 m <sup>2</sup> /l depending on the surface state
Diluent	Universal, turpentine or turpentine simile
Number of components	1
Application method	Brush, roller, spray gun
Dilution	5 - 10 %

### Surface preparation

Apply on a suitable primer or sealant, depending on whether the surface to be protected is metal or wood. Apply two coats of synthetic enamel to the recommended thickness.

### Remarks

When applied to the pistol, the minimum repainting interval is 48-72 hours. When the product is used outdoors the stability of some colors yellow, red and orange live may be inferior to the usual.

**Suitable for use domestic, not suitable for children.**

### Safety

The safety instructions on the packaging label must be followed scrupulously, in addition to complying with the requirements of national or local legislation.

As general indications: avoid inhalation of solvent vapors and paint mist, as well as contact of liquid paint with skin and eyes.

If applied in confined spaces, forced ventilation should be provided, accompanied by adequate respiratory protection of the skin and eyes, especially when applied to a pistol.



Distribuidor Oficial de:

*Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on it application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.*

[www.delapenia.com](http://www.delapenia.com)

Factory and offices



Trofeo  
CC100  
Compromiso  
a la Calidad

Ctra. Orgaz, s/n  
Apdo. 25  
45400 Mora ( Toledo )

t: +34 925 300 409  
f: +34 925 341 082  
e: [info@delapenia.com](mailto:info@delapenia.com)



Master  
Internacional  
de Empresas



pinturas de la peña  
fábrica de pinturas

# PEÑALUX ANTIOXIDANT

Antioxidant Glossy synthetic enamel

Page 2 de 3

Store in dry and isolated places.

There is a safety data sheet available to the professional user who requests it.



Distribuidor Oficial de:

*Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on its application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.*

**[www.delapenia.com](http://www.delapenia.com)**

**Factory and offices**



Trofeo  
CC100  
Compromiso  
a la Calidad

Ctra. Orgaz, s/n  
Apdo. 25  
45400 Mora ( Toledo )

t: +34 925 300 409  
f: +34 925 341 082  
e: [info@delapenia.com](mailto:info@delapenia.com)



Master  
Internacional  
de Empresas



pinturas de la peña  
fábrica de pinturas

# PEÑALUX ANTIOXIDANT

Antioxidant Glossy synthetic enamel

Page 3 de 3



Distribuidor Oficial de:

*Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on its application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.*

**[www.delapenia.com](http://www.delapenia.com)**

**Factory and offices**



Trofeo  
CC100  
Compromiso  
a la Calidad

*Ctra. Orgaz, s/n  
Apdo. 25  
45400 Mora ( Toledo )*

*t: +34 925 300 409  
f: +34 925 341 082  
e: [info@delapenia.com](mailto:info@delapenia.com)*

Master  
Internacional  
de Empresas

