AST

T PI



pinturas de la peña fábrica de pinturas Matt plastic paint SOLVENT FREE, with very low odour which makes it especially suitable for decorating and

protecting interior surfaces that are to be used immediately (hospitals, residences for the elderly, kindergartens, schools, etc.). It can also be used outdoors.

Special features:

Very low odour, solvent free, glycol free, ammonia free, alkhylphenol ethoxylate free. The SILVER IONS additives grant it when dry resistance to bacteria growth. This product contains agents which inhibit and prevent the growth of bacteria on the surface of this paint film even after several cleaning cycles (the effect is unaltered in time). Very good coverage and extreme whiteness. Good finish to the sight and to the touch. It has a good resistance to the alkalinity of the cement. It has good adhesion, it is flexible, durable and breathable.

PAINT WITH FIRE REACTION CERTIFICATE **B-S1,D0** ACCORDING TO NORM 13501-1:2007 + A1:2010 - BEST CLASSIFICATION.

Paint with European certificate ECOLABEL nº reg. ES08/044/0012



Features	
Color	White
Finish	Matt
Specific weight	1,63 +/-0,05 g/cm ³
Viscosity at time of packaging	115 K.U. at 25° C
Fixed matter %	65% +/- 2
Volume solids %	40% +/- 2
Performance	8 - 10 m ² /kg per coat (depending on the surface)
Yield to the wet rub UNE en ISO 11998-2007	Class 2
Dry-film recommended	26-34 micras per coat (recommended minimum 2-3
thickness	coats)
Dry-to-touch time	60 - 90 minutes (UNE 48301:1999)
Recoat	4 to 6 hours minimum. No maximum limit
Thin with	Clean water (10 - 20%)
Presentation	5 kg / 23 kg cans
Conservation	Keep away from extreme temperatures
VOC's	Cat A/a (legal limit 30 g/l). Maximum content in the product: 0.9 g/l
Classification according to	A+ (the best classification due to its low
French VOC regulation (ISO	emissions)
16000)	(*see detailed report)

Application

It can be applied by brush, roller or spray. Surfaces to be painted must be clean and dry. Do not apply when air and surface temperatures are below 5° C or above 35° C.



Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on it application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.

www.delapenia.com

Factory and offices



Ctra. Orgaz, s/n Apdo. 25 45400 Mora (Toledo)

+34 925 300 409 f: +34 925 341 082 t: e: info@delapenia.com





It is a product specially indicated for exteriors, because it is there where its special properties are revealed. It can be applied to cement, plaster, concrete, brick, stonework, etc. First coat should be thinned with 10-15% of clean water, and the second with 8-12%.

For domestic use only. Keep out of reach of children.

Cautions

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

fábrica de pinturas

P501 Dispose of contents and / or their container according to the separated collection system used in your municipality.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

According to Royal Decree 363/1995 (Directive 67/548/EEC) and Royal Decree 255/2003 (Directive 1999/45/EC), this is not classified as a dangerous product. Safety data sheet available for professional user on request.



Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on it application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.

www.delapenia.com

Factory and offices



Ctra. Orgaz, s/n Apdo. 25 45400 Mora (Toledo) t: +34 925 300 409 f: +34 925 341 082 e: info@delapenia.com





Ag+ ODOURLESS EXTRA MATT PLASTIC

Odourless ECOLOGICAL Matt Plastic Paint for Int/Ext with Antibacterial Protection Page 3 de 3

pinturas de la peña fábrica de pinturas



Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on it application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.

www.delapenia.com

Factory and offices



Ctra. Orgaz, s/n Apdo. 25 45400 Mora (Toledo) t: +34 925 300 409 f: +34 925 341 082 e: info@delapenia.com

